

## PUZZLE EASY INTERLOCKING

### 1 - Description

The 1mx1m Puzzle Rubber Mats are suitable for the creation of training areas where it's needed an installation without any use of glue or adhesive.

The product reduces noise and vibrations caused by the fall of weights, providing a protective layer, which preserves both the integrity of the underlying surface and the training equipments.

Thanks to the Puzzle format this surface is very easy to install and it's mainly requested for the creation of functional and cross training areas.

### 2 - Materials

The surface is composed by rubber granules bonded with an high-resistance polyurethanic glue.

### 3 – Appearance

The surface is slightly porous thanks the use of fine rubber granules which allow to obtain a linear visual effect, while maintaining the high grip of the product.

### 4 - Features

Easy to transport, install and clean. Wear-resistant and maintenance-free.

### 5 – Installation

Interlocking installation thanks to the puzzle shape, doesn't require any glue or adhesive.

### 6 – Cleaning and Maintenance

The product doesn't require special maintenance, it is possible to wash the surface with normal floor cleaners or sanitizing products. In case of contact with oil or other liquid substances, remove and clean promptly. Cleaning with soap and warm water allows to remove oily substances.

The common cleaning methods are the use of a broom or vacuum cleaner to remove dust and dirt and the use of a wet cloth or a mop for the surface cleaning.

## 7 – Technical Data

A VAILABLE THICKNESSES				m <sup>2</sup> /pallet
Width (mm)	Lenght (mm)	Thickness (mm)	Weight (Kg/m <sup>2</sup> )	
1000	1000	<b>10</b>	9,8	100
1000	1000	<b>15</b>	14,6	65
1000	1000	<b>20</b>	19,6	50

**Appearance** : flat tile, made with fine rubber grains, porous surface.

**Density** : about 980 Kg/m<sup>3</sup>.


**Features** : Wear-resistant surface with insulating properties.

**Tolerances** : width / lenght / thickness: +/- 1mm


**Installation** : puzzle installation, doesn't require any glue or adhesive.

**Packing** : pallet 105 x 105 x 120 cm.





**CENTER**



**EDGE**



**CORNER**

The products and their features are subject to periodic updates and revisions.

Metem S.r.l. reserves the right to modify at all times the characteristics described in this document.

The latest version of the technical sheet is always available on the website [www.dotile.it](http://www.dotile.it)